

UC100KMA

PS/2 to USB Adapter with Mac support (30cm)



UC100KMA is a signal converter with a 30cm cable. It can convert signals of PS/2 devices (keyboard and mouse) into USB signals, and supports multiple operating systems to fulfill the needs of users.

Features

- Two PS/2 devices (keyboard and mouse) to USB Interface converter
- Supports PS/2 mice and microsoft IntelliMouse
- Hotkey selection for OS and keyboard language supports
- Compatible with KVM Switches
- USB specification compliant
- External power adapter not required
- Easy installation - no software required
- OS Support: Windows 2000, Windows XP, [Windows Vista](#), LINUX, Mac, Sun and FreeBSD

Specification

| | |
|------------------------|--|
| Connectors | |
| USB Port | 1 x USB Type A Male (White) |
| PS/2 Keyboard | 1 x 6-pin Mini-DIN Female (Purple) |
| PS/2 Mouse | 1 x 6-pin Mini-DIN Female (Green) |
| LEDs | |
| Link | 2 (Green) |
| Cable Length | 30 cm |
| Platforms | Windows 2000/XP/Vista/Linux Mac OS 8.6 or Higher SUN Solaris 8 |
| Data Rate | 12 Mbps |
| Power Mode | Bus Powered (via the USB cable) |
| Environmental | |
| Operating Temperature | 0–50°C |
| Storage Temperature | -20–60°C |
| Humidity | 0–80% RH, Non-condensing |
| Physical Properties | |
| Housing | Plastic |
| Weight | 0.08 kg (0.18 lb) |
| Dimensions (L x W x H) | 9.15 x 4.70 x 2.50 cm (3.6 x 1.85 x 0.98 in.) |
| Power Consumption | DC5V:0.374W:6BTU/h Note: <ul style="list-style-type: none"> ● The measurement in Watts indicates the typical power consumption of the device with no external loading. ● The measurement in BTU/h indicates the power consumption of the device when it is fully loaded. |
| Note | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.