

UE350A

5公尺USB 3.2 Gen 1延長器



由於 USB 3.2 Gen 1 裝置已有越來越普及的趨勢，因此延伸 USB 3.2 Gen 1 裝置的需求也跟著成長。ATEN 的 UE350A USB 3.2 Gen 1 延長線不僅可延長USB 裝置距離至主機達5公尺之遠，其傳輸速率最高可達 5 Gbps – 與USB2.0的傳輸速率相比，快了10倍左右。

除了更快的傳輸速率之外，UE350A 不僅符合USB3.0的規範，向下相容至USB 1.1 及USB 2.0，並提供高品質連線以確保資訊的溝通能穩健的傳遞。安裝ATEN UE350A，快速且容易，也成為延伸 USB 3.2 Gen 1 裝置至主機最好的選擇。

備註：請參閱 [ATEN Support Center](#) 以取得最新的視訊攝影機相容性清單。



功能

- 可延長USB裝置的使用距離，最遠可達5公尺(16呎)
- 相容於USB 3.2 Gen 1, 2.0 及1.1
- 內建USB 3.2 Gen 1 Hub IC，支援各式USB1.1/2.0/3.2 Gen 1裝置的熱插拔
- 支援高達5 Gbps的傳輸速率
- 支援隨插即用功能 – 無需安裝額外軟體
- 跨平台支援 – Windows 及 Mac系統
- 不需外接電源 *

* 某些耗電量較大的USB 裝置，可能會需要另外的電源變壓器

規格

連接介面	
USB連接埠	1 x USB Type A 公頭
裝置端	1 x USB Type A 母頭
USB 規格	USB 3.2 Gen 1 / 2.0 / 1.1 適用於超高速 / 高速 / 全速或低速
線材長度	5 m
傳輸速率	最高 5 Gbps
作業環境	
操作溫度	0 - 40°C
儲存溫度	-20 - 60°C
濕度	0-80% RH, 無凝結
機體屬性	
外殼材質	塑膠
重量 g (公克), kg (公斤), lb(英磅)	0.22 kg (0.48 lb)
尺寸 - 長 x 寬 x 高 cm (公分), in. (英吋)	6.02 x 4.00 x 2.40 cm (2.37 x 1.57 x 0.94 in.)
附註	對於部分上機架機種，規格表中尺寸 (長 x 寬 x 高) 亦代表 (寬 x 深 x 高)

連線圖

USB Peripheral



5m





Simply Better Connections

Laptop

ATEN International Co., Ltd.

3F., No. 125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.