


## AP901

2-CH Dante 擴充卡



AP901是ATEN AP系列DSP擴大機的擴充配件，透過Dante AoIP技術，讓AP擴大機可接收2路高品質、低延遲的數位輸入音訊。使用者可將裝有AP901的AP擴大機與各種Dante設備搭配使用，例如數位混音器與DSP，讓應用範圍更加廣泛。AP901所提供的音訊品質合乎業界標準，支援24位元與44.1 / 48kHz取樣率，具優異的音訊完整性，且可滿足不同場域的需求。擴充卡可輕易被安裝至擴大機插槽。所有Dante設備皆可藉由Dante Controller軟體進行管理與配置設定，使用AP901，則可更進一步提升使用彈性，並簡化建置Dante系統 (包括廣播、錄音與任何專業播音應用) 的流程。Dante技術讓使用者僅需一條乙太網路線與幾步簡單的操作，即不再需要傳統類比線材，在擴展應用範圍的同時，也可以讓AV訊號同時傳輸至多個點。



### 功能


- 搭配ATEN AP系列DSP擴大機使用
- 讓AP擴大機可接收2路高品質、低延遲數位輸入音訊
- 裝有AP901的AP擴大機可支援各項Dante設備，例如數位混音器、DSP與媒體播放器
- 支援24位元與44.1 / 48 kHz取樣率
- 可藉由Dante Controller軟體進行管理與配置設定
- 安裝簡易
- 可透過Dante LAN升級韌體

## 規格

|                                     |                                                     |
|-------------------------------------|-----------------------------------------------------|
| 網路協定                                |                                                     |
| 1000/10000 Mbps                     | Dante Ultimo                                        |
| 連接介面                                | RJ45                                                |
| 音訊取樣                                | 24位元, 44.1/48kHz                                    |
| 規範                                  |                                                     |
| 認證                                  | FCC, CE, UKCA<br>(搭配AP2 擴大機進行測試)                    |
| 作業環境                                |                                                     |
| 操作溫度                                | 0~50°C                                              |
| 溼度                                  | 0-80% RH, 無凝結                                       |
| 儲存溫度                                | -20~60°C                                            |
| 機體屬性                                |                                                     |
| 重量<br>g (公克), kg (公斤), lb(英磅)       | 0.12 kg ( 0.27 lb )                                 |
| 外殼材質                                | 金屬面板                                                |
| 尺寸 - 長 x 寬 x 高<br>cm (公分), in. (英吋) | 11.50 x 2.20 x 11.00 cm<br>(4.53 x 0.87 x 4.33 in.) |
| 附註                                  | 對於部分上機架機種，規格表中尺寸 (長 x 寬 x 高) 亦代表 (寬 x 深 x 高)        |

# 連線圖

## Connection Diagram



Note: It is strongly recommended that you use a shielded Cat 5e cable (or higher) for better network connectivity.

### **ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their respective owners.