


VC985

DisplayPort to HDMI Adapter



**Plug-n-Play**

No installation software or drivers required. The VC985 is the perfect solution for connecting DisplayPort inputs to HDMI output displays.

Supports 1080p

Supports resolutions up to 1080p, making it highly compatible across devices.



FULL HD
1080




Contact Us

Get a quote for this product or get in touch with our sales experts

[Get Quote](#)

[Contact Sales](#)



Superior Signal Quality


The internal copper foil shielding protection ensures signal integrity and minimizes external interference, giving you extra reliable and superior quality signals.

[Talk to Our Experts](#)

Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly





Features

The VC985 is a DisplayPort to HDMI adapter, allowing you to connect your device's DisplayPort output to the HDMI input of a TV or other display.


The VC985 provide a cost-effective yet high performance signal conversion solution. This adapter is therefore perfect for computers and notebooks, supporting display resolutions of up to 1080p (1920x1080@60Hz).

- Converts DisplayPort signals to HDMI output
- DisplayPort 1.2 a compliant
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1080p (HDTV)
- Audio Supported
- No software or driver installation required

Specification

Video Input	
Interfaces	1 x DisplayPort Male (White)
Video Output	
Interfaces	1 x HDMI Type A female (Black)
Video	
Max. Pixel Clock	165MHz
Max. Resolution	1920 x 1080@60HZ
Compliance	DP1.2, HDMI 1.3
Audio	
Output	1 x HDMI Type A Female (Black)
Environmental	
Operating Temperature	0 - 50 °C
Storage Temperature	-20–60 °C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Plastic
Weight	0.04 kg (0.09 lb)
Dimensions (L x W x H)	18.00 x 4.50 x 1.50 cm (7.09 x 1.77 x 0.59 in.)
Carton Lot	40 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.