

## CE790T

Digital USB Console Extender w/ Audio Support (Transmitter)



The CE790T is transmitter half of the [CE790](#) digital KVM extender set and is also sold separately to expand your capabilities.

The CE790T connects to a receiving unit [CE790R](#) over your network. An intuitive On Screen Display (OSD) simplifies set up and connections. The number of Receivers and Transmitters that can be connected is limited only by the number of free IP Addresses on your network. More information on the CE790T can be found on the [CE790](#) web page.


### Features

<b>Console Connectors</b>	
Keyboard	1x USB Type A Female
Monitor	1x HDB-15 Female
Mouse	1x USB Type A Female
Audio	1x Mini Stereo Jack Female(Speaker), 1x Mini Stereo Jack Female(MIC)
<b>CPU Connectors</b>	
Keyboard, Mouse, and Monitor	1x SPHD-15 Female
Audio	1x Mini Stereo Jack Female(Speaker), 1x Mini Stereo Jack Female(MIC)
<b>Connectors</b>	
RS-232	1x DB-9 Female
Power	1 x DC Jack
LAN	1x RJ-45 Female
<b>Switches</b>	

Mode Selection	1x Pushbutton(OSD), 1x Pushbutton(Select)
<b>LEDs</b>	
Power On	1(Green/Red)
Host Status	1(Green/Orange)
<b>Emulation</b>	
Keyboard	USB
Mouse	USB
<b>Power Consumption</b>	DC5.3V/6.62W
<b>Video Resolution</b>	Up to 1920x1080
<b>Environment</b>	
Humidity	0~80% RH, Non-condensing
Operation Temperature	32F~122F (0C~50C)
Storage Temperature	-4F~140F (-20C~60C)
<b>Physical Properties</b>	
Unit Weight	1.1 lbs
Case Qty	5
Case Weight	11.5 lbs
Case Dimension	12.8x 10x 7 in.
Unit Package Dimensions	9.5 x 6.375 x 2.5 in
Unit Weight with package	2.2 lb.
Unit Dimension	8 x 3.75 x 1 in

- Connects across your existing network
- OSD for easy set up and operation.
- Distance limited only by the size of your LAN

Diagram



**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.