

## UE350A

5 m USB 3.2 Gen 1 Extender Cable



As USB 3.2 Gen 1 devices are getting popular, the demand for extending the distance covered by USB devices is growing notably. ATEN's UE350A USB 3.2 Gen 1 Extender Cable not only extends the distance for the USB devices up to 5 meters, but also delivers a throughput of up to 5 Gbps when used in conjunction with a USB 3.2 Gen 1 host and device – an astounding increase that is ten times the capability of USB 2.0.

In addition to its robust speed and transfer rate, the UE350A also provides a durable, high quality connection that harnesses the full capability of the USB 3.2 Gen 1 standard; at the same time, it is backwards compatible with USB 2.0 and 1.1 to ensure reliable data communication. With UE350A, extending the distance of your USB 3.2 Gen 1 device is quick and easy, making it an ideal addition to your USB system setups.

Note: Please visit [ATEN Support Center](#) to view the test report for the compatible webcams for more information.



### Features

- Extends the distance of one USB device up to 5 m (16ft)
- USB 3.2 Gen 1, 2.0 and 1.1 compatible
- Built-in USB 3.2 Gen 1 Hub IC – fully supports hot swapping for a variety of USB 1.1/2.0/3.2 Gen 1 devices.
- Supports USB super-speed (5 Gbps)
- Plug and play – no additional software installation required
- Multiplatform support – Windows and Mac
- Non-powered \*

\* Some USB devices may require a separate power adapter.

### Specifications

| Connectors             |                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| USB Port               | 1 x USB Type A Male                                                                                                             |
| Downstream             | 1 x USB Type A Female                                                                                                           |
| USB Specification      | USB 3.2 Gen 1 / 2.0 / 1.1 for Super / High / Full or Low speed                                                                  |
| Cable Length           | 5 m                                                                                                                             |
| Data Rate              | Up to 5 Gbps                                                                                                                    |
| Environmental          |                                                                                                                                 |
| Operating Temperature  | 0–40°C                                                                                                                          |
| Storage Temperature    | -20–60°C                                                                                                                        |
| Humidity               | 0-80% RH, Non-condensing                                                                                                        |
| Physical Properties    |                                                                                                                                 |
| Housing                | Plastic                                                                                                                         |
| Weight                 | 0.22 kg ( 0.48 lb )                                                                                                             |
| Dimensions (L x W x H) | 6.02 x 4.00 x 2.40 cm<br>(2.37 x 1.57 x 0.94 in.)                                                                               |
| Note                   | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

### Diagram

# USB Peripheral



**5m**





Simply Better Connections

## Laptop

**ATEN International Co., Ltd.**

3F., No. 125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.